



TYPE MATERIAL IN THE HERPETOLOGICAL COLLECTION OF THE NATIONAL MUSEUM, PRAGUE

Jiří Moravec

Department of Zoology, National Museum, 115 79 Praha 1, Czech Republic; jiri.moravec@nm.cz

Received May 12, 2003

Accepted June 3, 2003

INTRODUCTION

The present survey updates the previous list of the type material kept in the herpetological collection of the National Museum (Nat. Hist.), Prague (Moravec 1996). Currently, the herpetological collection contains type series of 18 nominal taxa associated with different reptile populations from southern and eastern Europe and from the Middle East.

The individual taxa are arranged by order, suborder and family and listed alphabetically by species and subspecies. In the case, that the original description was completed by the same author in additional publications, quotations of these publications are listed chronologically.

SYSTEMATIC LIST

Order Testudines

Family Emydidae

Emys orbicularis fritzjuergenobsti FRITZ

1993 Zool. Abh. Mus. Tierkd. Dresden, 47 (11), 16 figs.

Paratype: NMP6V 35832 (NMP6j 63/89), Albufera, Spain, N. M. Kheil leg., 1924.

Order Squamata

Suborder Lacertilia

Family Agamidae

Pseudotrapelus sinaitus weneri MORAVEC

2002 Faun. Abh. Mus. Tierkd. Dresden, 23 (8): 131–140, 8 figs.

Holotype: NMP6V 34860/1, Ar'Raqiyeh, Muhafazat of Sweida, Syria, J. Moravec leg., 1 June 1994.

Paratypes: NMP6V 34859/1–4 Ar'Raqiyeh, Muhafazat of Sweida, Syria, D. Modrý leg., 1 May 1994; NMP6V 34860/2 Ar'Raqiyeh, Muhafazat of Sweida, Syria, J. Moravec leg., 1 June 1994; NMP6V 34861, Zalaf, Syria, M. Veselý leg., 1990; NMP6V 70282, 12 km N of Ar'Raqiyeh, Muhafazat of Sweida, Syria, J. Moravec leg., 5 May 1996; NMP6V 70449/1–5, Ar'Raqiyeh, Muhafazat of Sweida, Syria, J. Moravec leg., 12 May 1999;

NMP6V 70859/1–3, road Safawi-Azraq, Jordan, D. Modrý leg., 16–25 June 2000;
NMP6V 70860, road Azraq-Al Jafr, Jordan, D. Modrý leg., 16–25 June 2000.

Family Gekkonidae

Gymnodactylus kotschy bartoni ŠTĚPÁNEK

1934 Sborn. zool. odd. Nár. Mus. v Praze, 1: 8–9.

1937 Arch. Naturgesch. N.F., Leipzig, 6: 273–276, 2 figs.

1939 Věst. Čs. Zool. Spol. v Praze, 6–7: 434.

Lectotype: NMP6V 5279, Nida plateau, Psilloritis Mts, Crete, O. Štěpánek leg., 26 May 1934.

Paralectotypes: NMP6V 5280–81, Nida plateau, Psilloritis Mts, Crete, O. Štěpánek leg., May 26, 1934.

= *Cyrtopodion kotschy bartoni* (ŠTĚPÁNEK, 1934)

Gymnodactylus kotschy bureschi ŠTĚPÁNEK

1937 Arch. Naturgesch., N.F., Leipzig, 6 (2): 276–278.

1937 Mitt. König. Naturwiss. Inst. Sofia-Bulgaria, 10: 281–285, 3 figs.

1939 Věst. Čs. Zool. Spol. v Praze, 6–7: 435.

Lectotype: NMP6V 5292, Aja Galina, surroundings of Sozopol, Bulgaria.

= *Cyrtopodion kotschy danilewskii* (STRAUCH, 1887)

Gymnodactylus kotschy fitzingeri ŠTĚPÁNEK

1937 Arch. Naturgesch., N.F., Leipzig, 6 (2): 270–271.

Paralectotype: NMP6V 5291, Cyprus, Rolle leg., 1895.

= *Cyrtopodion kotschy fitzingeri* (ŠTĚPÁNEK, 1937)

Gymnodactylus kotschy kalypsaе ŠTĚPÁNEK

1939 Věst. Čs. zool. spol. v Praze, 6–7: 431–433.

1940 Sborn. Nár. Mus. v Praze, 2 B (5) (Zoologia No. 2): 108–109.

Holotype: NMP6V 5285, island of Gaudos, Greece, O. Štěpánek leg., 16 May 1938.

Paratypes: NMP6V 5286–88/1–11, island of Gaudos, Greece, O. Štěpánek leg., 15–20 May 1938.

= *Cyrtopodion kotschy kalypsaе* (ŠTĚPÁNEK, 1939)

Gymnodactylus kotschy orientalis ŠTĚPÁNEK

1937 Arch. Naturgesch., N.F., Leipzig, 6 (2): 270.

Paralectotype: NMP6V 5298, Jerusalem, Israel, G. Haas leg.

= *Cyrtopodion kotschy orientalis* (ŠTĚPÁNEK, 1937)

Gymnodactylus kotschy steindachneri ŠTĚPÁNEK

1937 Arch. Naturgesch., N.F., Leipzig, 6 (2): 267–268, 2 figs.

Paralectotype: NMP6V 5300, Egerdir, Central Anatolia, V. Pietschmann leg., May–June 1931.

= *Cyrtopodion kotschy steindachneri* (ŠTĚPÁNEK, 1937)

Gymnodactylus kotschy stepaneki WETTSTEIN

1937 Zool. Anz., Leipzig, 118 (3/4): 79–81

Paralectotype: NMP6V 5289, Megali Zafrana, O. Wettstein leg.

= *Cyrtopodion kotschy stepaneki* (WETTSTEIN, 1937)

Gymnodactylus kotschyi wettsteini ŠTĚPÁNEK

1937 Arch. Naturgesch., N.F., Leipzig, 6 (2): 272–273, 2 fig.

Paralectotypes: NMP6V 5299, 35191–35194, island of Micronisi in the bay of Hagios Nikolaos, E Crete, Greece, O. Štěpánek leg., 1936.

= *Cyrtopodion kotschyi wettsteini* (ŠTĚPÁNEK, 1937)

Hemidactylus turcicus lavadeserticus MORAVEC et BÖHME

1997 Herpetozoa, 10 (3/4): 121–128, 3 figs.

Holotype: NMP6V 35540/1, Ar'Raqiye, Muhafazat of Sweida, Syria, J. Moravec leg., 7 May 1996.

Paratypes: NMP6V 34831, Ar'Raqiye, Muhafazat of Sweida, Syria, J. Moravec leg., 1 June 1994; NMP6V 35540/2–4, Ar'Raqiye, Muhafazat of Sweida, Syria, J. Moravec leg., 7 May 1996.

Family Scincidae

Ablepharus pannonicus fabichi ŠTĚPÁNEK

1937 Věst. Čs. zool. spol. v Praze, 5: 77–78.

1938 Sborn. Nár. Mus. v Praze, 1 B (1) (Zoologia No.1): 1–10, 2 figs.

Holotype: NMP6V 5303, island of Micronisi in the bay of Hagios Nikolaos, E Crete, Greece, O. Štěpánek leg., May 1936.

= *Ablepharus kitaibelii fabichi* ŠTĚPÁNEK, 1938

Family Lacertidae

Acanthodactylus beershebensis MORAVEC, BAHA EL DIN, SELIGMANN, SIVAN et WERNER
1999 Zoology in the Middle East, 17: 21–50, 7 figs.

Paratype: NMP6V 35698, 5 km E of Omer-Hebron-Arad junction, Israel, Y. L. Werner leg., 1 Mach 1963.

Eremias lalezharica MORAVEC

1994 Bonn. zool. Beitr., 45 (1): 61–66, 2 figs.

Holotype: NMP6V 34555/3, N foot of Mt. Lalehzar, Lalehzar, ostan Kerman, Iran, B. Pražan leg., 24–30 May 1977.

Paratypes: NMP6V 34555/1–2, NMP6V 34555/4–5, N foot of Mt. Lalehzar, Lalehzar, ostan Kerman, Iran, B. Pražan leg., 24–30 May 1977.

Mesalina bahaeldini SEGOLI, COHEN et WERNER

2002 Faun. Abh. Mus. Tierkd. Dresden, 23 (8): 157–176, 9 figs.

Paratypes: NMP6V 70768/1–3, Near St. Catherine Monastery, Sinai, Egypt, D. Modrý leg., 1995.

Family Anguidae

Anguis fragilis peloponnesiacus Štěpánek

1937 Zool. Anz., Leipzig, 118 (3–4): 107–110, 1 fig.

Lectotype: NMP6V 5301, Taygetos Mts., Peloponnes, Greece, O. Štěpánek leg., July 1935.

Paralectotypes: NMP6V 5302/1–3, Taygetos Mts., Peloponnes, Greece, O.

Štěpánek leg., July 1935; NMP6V 34423, Nedon valley near Kalamai, Peloponnes, Greece, O. Štěpánek leg., May 1935; NMP6V 34424–34426, Kalavryta, N Peloponnes, Greece, J. Mařan leg., May 1936.
= *Anguis cephallonicus* (WERNER, 1894)

Suborder Serpentes
Family Colubridae

Eirenis hakkariensis SCHMIDTLER et EISELT

1991 Salamandra, 27 (4): 225–237, 6 figs.

Paratype: NMP6V 34514, Zab valley, 4 km S of Hakkari, Turkey, J. Moravec leg., 17 September 1989.

Tarbophis fallax pallidus ŠTĚPÁNEK

1944 Věst. Čs. zool. spol. v Praze, 9: 146–147.

Holotype: NMP6V 5304/1, island of Gaudos, Greece, O. Štěpánek leg., 1938.

Paratypes: NMP6V 5304/2–4, island of Gaudos, Greece, O. Štěpánek leg., 1938.

= *Telescopus fallax pallidus* (ŠTĚPÁNEK, 1944)

ACKNOWLEDGEMENTS

This work was supported by the Czech Ministry of Culture (projects nos. RK01P03OMG006 and MK0CEZ99F0201).

REFERENCES

Moravec, J. (1996): Type material in the herpetological collection of the National Museum, Prague. – Čas. Nár. Muz., Ř. přírodověd., 165: 83–84.