



**A survey of spider species (Araneida) in Prof. F. Miller's collection
(Department of Zoology, Museum of Natural History – National Museum),
Part VIII: Araneidae**

Antonín Kůrka

Department of Zoology, National Museum, 115 79 Praha 1, Czech Republic; antonin.kurka@nm.cz

Received October 23, 2003

Accepted January 22, 2004

Abstract. In the present survey (part VIII) data on 758 specimens of Miller's collection are given. The material belongs to 42 species of the family Araneidae.

■ Araneida, Araneidae, arachnological collection, Prof. F. Miller, National Museum in Prague, Bohemia, Moravia, Slovakia.

INTRODUCTION

The eighth part of the survey of the Professor František Miller's collection deposited in the National Museum in Prague summarises data on 758 specimens belonging to 42 spider species of the family Araneidae. Data on 106 species of 13 families (Atypidae, Eresidae, Amaurobiidae, Titanoecidae, Dictynidae, Uloboridae, Pholcidae, Zodariidae, Zoridae, Anyphaenidae, Eusparassidae, Dysderidae and Gnaphosidae) have been given in the first part (Kůrka 1994). The second part of Miller's survey (Kůrka 1996) consists of data on 1589 specimens of 51 spider species belonging to the family Clubionidae, Corinnidae and Liocranidae as well as the complement of some species of Gnaphosidae. The third part (Kůrka 1997) summarises data on 2082 specimens belonging to 56 species of two families (Thomisidae and Philodromidae). Data on 3443 specimens belonging to 61 species of the family Lycosidae are given in the fourth part, while the fifth part includes data on 2049 specimens pertaining to 38 species of the families Pisauridae, Oxyopidae, Zoridae, Cybaeidae, Agelenidae, Hahnidae, Mimetidae and Mysmenidae (Kůrka 1998, 2000). The sixth part consists of 1838 specimens belonging to 58 spider species of the family Salticidae (Kůrka 2001). For the time being the later part of this survey consists the data on 1665 specimens belonging to 50 spider species of the family Theridiidae (Kůrka 2003).

Explanatory notes: The data are aligned as follows: locality – (number of mapping square in parentheses) – date of collection – number of specimens, m = male, f = female, j = juvenile – (number of registration in parentheses). Rev., det. AK = author's revision or determination, Mt = mount, p = pond, pb = peatbog, res. = reserve, ? = unidentified localities, (?) = mapping square unknown. Mountain ranges and districts: Belianske Tatry, Beskydy, Kováčovské kopce, Krkonoše, Pavlovské vrchy, Roháče. The arrangement of families follows Buchar et Růžička (2002).

SYSTEMATIC LIST

Family: Araneidae

***Aculepeira ceropegia* (Walckenaer, 1802) (P6A–776)**

Bohemia: Lužná (5848) 5. 6. 1938 1m (/1).

Moravia: Blansko (6665) 20. 5. 1974 1j (/2); Mohelno (6863) 3m 7j (/3).

Slovakia: Roháče 1f (/4).

***Agalenatea redii* (Scopoli, 1763) (P6A–776)**

Moravia: Brno (6765–6865) 1f (/5); Čejč (7067) 25. 4. 1968 1f (/6), V. 1950 1f (/7); Mohelno (6863) 10. 6. 1f (/8), 1m 1f (/9); Pavlovské vrchy (7165–7166) 1. 5. 1966 1m (/10); Pouzdřany (7065) 2m (/11).

Slovakia: Domica (7578) 10. 5. 1f (/91); Kováčovské kopce (8178) 20f (/12); Plešivec (7488) 1m (/141); Štúrovo (8178–8278) 10. 6. 1956 1f (/13), 1f (/14), 4m (/15).

?: Čenkov 20. 5. 1956 1m 1f (/16); Kostel. 16. 1. 1932 2m 5f 1j (/142).

***Araneus alsine* (Walckenaer, 1802) (P6A–776)**

Bohemia: Jindřichův Hradec (6855–6856) 15. 8. 1971 2f (/17); Pernek (7249–7250) 2m (/18).

Moravia: Brno, dam (6765) 25. 9. 1964 1f (/19); Horní Domaslavice (6276–6376) 10. 7. 1m (/21).

Slovakia: Domica (7578) 1m (/21).

?: Nový Dvůr 1m (/22).

***Araneus angulatus* Clerck, 1757 (P6A–776)**

Bohemia: Bělčice (near Blatná) (6549) VII. 1940 2f (/23); Třeboň (6954) VI. 1960 1j (/24).

Moravia: Náměšť (?) VIII. 1965 1f (/26); Mohelno (6863) 1940 1m (/25).

Slovakia: Banská Štiavnica (7579) VI. 1956 1m 1f 2j (/27); Kriváň (?) 4f (/28); Štúrovo (8178–8278) 1m (/29).

?: Babice 15. 7. 1960 1f (/30).

***Araneus circe* (Audouin, 1826) (P6A–776)**

?: Tisová 1f (/140).

***Araneus diadematus* Clerck, 1757 (P6A–776)**

Bohemia: Rakovník (5848–5948) 8f (/32).

Moravia: Bobrava (valley) (6865) 1f (/31); Brno (6765–6865) 30. 9. 1971 1f (/33), 1m (/34); Devět skal (Mt) (6362) 20. 8. 1930 2m 3f 2j (/35), 1f (/36).

Slovakia: Banská Štiavnica, Červená Studňa (7579) 27. 7. 1m 1f (/37).

?: Hevz 20. 8. 1958 3f (/38).

***Araneus marmoreus* Clerck, 1757 (P6A–776)**

Bohemia: Bělčice (near Blatná) (6549) VII. 1940 1f (/39); Libořezy (6955) 15. 8. 1f (/40).

Moravia: Beskydy 9. – 18. 8. 1952 2f (/42); Lednice (7266) 15. 8. 1952 2f (/42); Vranovice n. Svr. (7065) 2. 8. 1961 1m (/43).

?: Hevz 2. 8. 1958 2f (/44); Nová Pláň 16. 9. 1952 1j (/45); Rašelinné jezero 1. 7. 1946 1f (/46); Rudolec 28. 7. 1961 1m (/146).

***Araneus nordmanni* (Thorell, 1870) (P6A–776)**

Bohemia: Špičák (6845) IX. 1900 1f (/47).

***Araneus quadratus* Clerck, 1757 (P6A–776)**

Bohemia: Jindřichův Hradec (6855–6856) VII. 1972 1m (/48); Horní Dvořiště (7352) 20. 7. 1f (/49); Pernek (7249–7250) 30. 6. 1956 1m (/50); Polště (6855) 18. 5. 2f (/145); Soběslav (6754) 1m (/111).

Moravia: Beskydy 9. – 18. 8. 1952 1m 3j (/51).

Slovakia: Domica: (7578) 1m 1f (/52).

?: Čenkov VIII. 1956 1m (/53).

***Araneus saevus* (L. Koch, 1872) (P6A–776)**

Slovakia: Čierny Balog (7283–7284) 24. 7. 1957 1f (/54).

***Araneus sturmi* (HAHN, 1831) (P6A–776)**

Bohemia: Hlavenec (?) VI. 1960 1m (/55); Lužná (5848) 5. 6. 1938 1m (/56); Mláka (6955) 1m (/101).
Moravia: Čebínka (6765) 1m 1f (/57); Křtiny (6766) 19. 6. 1974 1m 2j (/58); Mohelno (6863) 10. 6. 2m 2f (/59);
Říčky (6764) 5. 6. 2m (/60); Vranovice (7065) V. 1951 1m (61); Žebětín (6765–6765) 10. 6. 1973 1m (/63);
Lednice (7266) 10. 7. 1f (/143).
Slovakia: Devínska Kobyla (Mt) (7867) 10. 6. 1m (/64); Žarnovica (?) V. 1957 3m 2f (/62).

***Araneus triguttatus* (FABRICIUS, 1775) (P6A–776)**

Moravia: Mohelno (6863) 1m 1f (/65); Pouzdřany (7065) 11. 4. 1959 1f (/66).
Slovakia: Banská Štiavnica (7579) 1956 1m 1f (/68); Plešivec (7488) 7. 5. 1m (/69); Tesáre (7474) 11. 5. 1f (/70); Žarnovica (?) 1f (/67).

***Araniella alpica* (L. KOCH, 1869) (P6A–777)**

Moravia: Horní Domaslavice (6276–6376) 20. 7. 1f (/1); Ostrava (?) 15. 5. 1f (/2).
Slovakia: Banská Štiavnica, Poniky (7579) 29. 5. 1m 2m (/5); Belianske Tatry (6787) 2f (/3); Muráň (Mt) (7286)
26. 7. 2f (/4); Snina (7098–7099) 1m (/6); Žarnovica (?) V. 1957 1m 3f (/7).
?: Rudolec 28. 7. 1961 2m 2f (/8); Teplý potok 1m (/9).

***Araniella displicata* (HENTZ, 1847) (P6A–777)**

Moravia: Mohelno (6863) 10. 6. 1f (/10); Ořechov (6865) 1. 6. 1f (/11).

***Araniella cucurbitina* (CLERCK, 1757) (P6A–777)**

Bohemia: Nový Bydžov (5758) 1f lg. Drahekoupil (/12).
Moravia: Beskydy (?) 9.–18.8.1952 2f (/13); Ketkovice ((6863) 10. 6. 1m (/14); Mohelno (6863) 1. 6. 1958 1m (/15); Pouzdřany (7065) 1f (/16), 18. 5. 1952 1m (/28); Rejvíz (5769) 10. 7. 1f (/17).
Slovakia: Belianske Tatry (6787) 1f (/18); Štúrovo (8178–8278) 25. 5. 1956 1f (/19).

***Araniella opisthographa* (KULCZYŃSKI, 1905) (P6A–777) (All specimen rev. AK)**

Moravia: Lednice (7266) 20. 5. 1m (/20); Pavlovské vrchy (7165–7166) 1m (/21); Pouzdřany (7065) 18. 5. 1952
6m (/22), 20. 5. 1m (/23).
Slovakia: Banská Štiavnica (7579) 1m 2f (/24); Bzovík (?) 20. 5. 2m (/25); Sitno (7579) VII. 1954 1m 2f (/26).
?: Rudolec 28. 7. 1961 2m (/27).

***Argiope bruennichi* (SCOPOLI, 1772) (P6A–778)**

Moravia: Lednice (7266) 10. 7. 1m (/1).
Slovakia: Malacky (7568) 12. 8. 1970 3f (/2); Silická Brezová (7488) 1m (/3); Zobor (Mt) (7674) 25. 8. 1963
2f (/4); Zohor (7667) 1. 8. 1950 1f (/5).

***Argiope lobata* (PALLAS, 1772) (P6A–778)**

Slovakia: Chotín (8175) 27. 7. 1960 1f lg. Š. Vaško (/6).

***Cercidia prominens* (WESTRING, 1851) (P6A–779)**

Moravia: Čebínka (6765) 1f (/1); Lednice (7266) 1. 6. 1f (/2); Žebětín (6764–6765) 1j (/5).
Slovakia: Ardovo (7488) 7. 5. 1960 1j (/4); Štúrovo (8178–8278) 10. 6. 1956 1f 1j (/3).

***Cyclosa conica* ((PALLAS, 1772) (P6A–780)**

Bohemia: Holičky (6954) 17. 5. 1f (/1); Mláka (6955) 3j (/2).
Moravia: Brno (6765–6865) 1m (/3); Doubavník (6564) 20. 6. 1f (/4); Kuničky (6566) 10. 6. 1974 1m (/5);
Mohelno (6863) VIII. 1941 1f (/6); Říčky (6764) 7. 6. 1952 1m (/7).
Slovakia: Ardovo (7488) 7. 5. 1960 1f (/8); Beluja (7780–7880) 12. 5. 1m (/9); Štúrovo (8178–8278) 10. 6. 1956
1m (/10), 20. 5. 1955 1m (/3); Vinica (7870) V. 1957 1m 4f 1j (/11).
?: Nejdek VI. 1963 3m (/12).

***Cyclosa oculata* (WALCKENAER, 1802) (P6A–780)**

Bohemia: Kvilda (6947) 1j (/13).

***Gibbaranea bituberculata* (WALCKENAER, 1802) (P6A–776)**

Moravia: Čebínka (6765) 1m 3f (/71); Doubavník (6564) 20. 6. 1f (/147); Horní Domaslavice (6276–6376) 10.
7. 1f (/72); Mohelno (6863) 20. 6. 1f (/73); Osová Bítýška (6663) VI.–IX. 1951 2f (/74); Pavlovské vrchy

(7165–7166) 1. 5. 1956 3f 1j (/75), 19. 5. 3m 1f (/76), 1m (/77), 1m (/78), 1. 6. 1m (/79); Pouzdřany (7065) 1. 5. 1f (/80), 5m 5f (/81), 1m 9f (/82).

Slovakia: Domica (7578) 10. 5. 1m (/83); Kováčovské kopce (8178) 4m 9f (/84); Lučenec (7683) 1. 6. 1949 1f (/85); Rozsutec (6880) 2m 2f (/86); Štúrovo (8178–8278) 10. 6. 1956 1m 2f (/87), V. 1955 3f (/88), 6f (/89); Zádiel (7391) 25. 5. 1956 3m 5f (/90).

***Gibbaranea gibbosa* (WALCKENAER, 1802) (P6A–776)**

Moravia: Némčice (?) 1m (/92).

Slovakia: Kováčovské kopce (8178) 1f det.AK (/93); Štúrovo (8178–8278) 3f (/94); Zobor (Mt) (7674) 18. 5. 1f (/95).

***Gibbaranea omoeda* (THORELL, 1870) (P6A–776)**

Bohemia: Kletná (Orlické hory Mts) (?) 1m (/96).

Moravia: Jeseník (5769) 2m (/97); Kuničky (6566) 1m (/98).

Slovakia: Bzovík (?) 20. 5. 1f (/99); Žarnovica (?) V. 1957 3m 11f (/100).

***Hypsosinga albobittata* (WESTRING, 1851) (P6A–783)**

Moravia: Doubravník (6564) 20. 6. 2m 2f (/1); Hády (6766) 12. 6. 1m (/2); Mohelno (6863) 20. 6. 1961 1m 5f (/3), 20. 5. 1m (/4), 10. 6. 3m 2f (/5); Pouzdřany (7065) 8. 5. 2m (/36).

?: Čenkov: 25. 5. 1956 1f (/6).

***Hypsosinga heri* (HAHN, 1831) (P6A–783)**

Bohemia: Dráčov (6754) 15. 5. 1m (/7); Jindřichův Hradec (6855–6856) VI. 1976 1m (/8); Nový Bydžov (5758) 1m 1f (/9).

Slovakia: Čalovo (8172) 10. 5. 1960 6m 1f 4j (/10).

?: N. rybník 2. 6. 3f (/11); Pilát. tůň 30. 5. 1m 1f (/12).

***Hypsosinga pygmaea* (SUNDEVALL, 1831) (P6A–783)**

Bohemia: Dráčov (6754) 14 f (/13), 3f (/14).

Moravia: Lednice (7266) 18. 5. 3f (/15).

Slovakia: Devínska Kobyla (Mt) (7867) 5. 6. 1955 1f (/16); Sobotište near Myjava (7270) 28. 7. 1954 1f (/17).

***Hypsosinga sanguinea* (C. L. KOCH, 1844) (P6A–783)**

Moravia: Bobrava (valley) (6865) 4. 5. 1m (/18); Čebínka (6765) 20. 5. 1f (/19); Doubravník (6564) 20. 6. 1m 2f (/20); Hády (6766) 18. 5. 1957 1m 1f (/21), 10. 6. 1972 1m 1f (/22) 30. 4. 1f (/23), 2m 1f (/24); Hlína (6864) 10. 6. 1970 1m 1f (/25); Horní Domaslavice (6276–6376) 16. 7. 1f (/26); Mohelno (6863) 20. 6. 2f (/27), 1. 6. 1958 1m (/36); Ořechov (6865) 1. 6. 1f (/37); Ostrovačice (6764) 15. 5. 1m (/28); Pavlovské vrchy (7165–7166) 6. 6. 3f (/29); Pouzdřany (7065) 8. 5. 1m 1f (/30), 25. 5. 3m 5f (/31), 8. 6. 2f (/32), 10. 6. 1f (/33); Žebětín (6764–6765) 10. 6. 1973 1m (/34).

Slovakia: Štúrovo (8178–8278) 10. 6. 1956 2m 1f (/35).

***Larinioides folium* (SCHRANK, 1803) (P6A–776)**

Bohemia: Hatín (6855) 17. 8. 1975 1m 5f 2j (/102); Polště (6855) 18. 5. 3f (/110); Rakovník (5848–5948) 5f (/103); Soběslav (6754) 1f rev. AK (/104).

Moravia: Osová Bítýška (6663) 9. 8. 1953 1m 2f (/105), VII. 1951 3f rev. AK (/106).

Slovakia: Kováčovské kopce (8178) 25m 7f rev. AK (/107); Nitra (7674–7774) 20. 5. 1m rev. AK (/108); Štúrovo (8178–8278) 1f rev. AK (/109).

***Larinioides ixobolus* (THORELL, 1873) (P6A–776)**

Bohemia: Nový Bydžov (5758) 1m (/112); Poděbrady (5856) VI. 1942 1m (/113), 1935 1m 1f Ig. E. Nový (/114); IX. 1943 1m (/115).

Moravia: Brno, Komárov (6865) 14. 3. 1955 1f (/116); Svitavy (6264) 10. 6. 1956 1m 1j (/117); Čejč (7067) V. 1950 2f 1j rev. AK (/129).

Slovakia: Bratislava (7868) 10. 7. 1955 1f (/118).

?: Hevíz 20. 8. 2f (/119).

***Larinioides patagiatus* (CLERCK, 1757) (P6A–776)**

Moravia: Lednice (7266) 12. 10. 1952 2m 2f (/120), 10. 4. 1961 2f (/121), VIII. 1972 1f (/122), 18. 5. 1m (/123);

Mohelno (6863) 1941 2m (/124); Osová Bítýška (6663) 20. 8. 1951 1f rev. AK (/125), 28. 8. 1952 2f (/126), IX. 1951 2m 1f (/127); Pouzdřany (7065) 12. 4. 1953 1f (/128).

***Larinioides sclopetarius* (CLERCK, 1757) (P6A–776)**

Moravia: Mohelno (6863) 1. 6. 1958 1f (/148).

Slovakia: Bratislava (7868) 1m 1f (/130); Žilina (6778) 20. 4. 1937 2m 2f (/131).

***Mangora acalypha* (WALCKENAER, 1802) (P6A–781)**

Bohemia: Orlík (6451) 28. 7. 1f (/1).

Moravia: Doubravník (6564) 20. 6. 1m (/2); Hády (6766) 18. 6. 4f (/3); Jeseník (5769) 1m (/4); Mohelno (6863) 1941 1f (/5); Pavlovské vrchy (7165–7166) 16. 7. 1955 1f (/6), 15. 6. 1956 5m 1f (/7), 6. 6. 1f (/8); Skřítek (pb) (6068) 5. 6. 1946 1m 1f (/9).

Slovakia: Devínska Kobyla (Mt) (7867) 10. 6. 2f (/10); Štúrovo (8178–8278) 10. 6. 1956 2m 5f 1j (/11), 1m 2f (/12).

?: Čenkov 25. 5. 1956 3m (/13).

***Nuctenea silvicultrix* (C. L. KOCH, 1844) (P6A–776)**

Bohemia: Blata (?) 1f (/132), 1f (/133); Libořezy (6955) 15. 8. 1f (/134).

***Nuctenea umbratica* (CLERCK, 1757) (P6A–776)**

Bohemia: Dráčov (6754) 1931 2m 1f (/144); Libořezy (6955) 15. 8. 1f (/135).

Moravia: Beskydy 9.–18. 8. 1952 1m (/136); Brno (6765–6865) 1m (/137); Jevíčko (6366) 1m 1f (/138); Osová Bítýška (6663) 8. 2. 1952 3f (/139).

***Singa hamata* (CLERCK, 1757) (P6A–783)**

Bohemia: Dráčov (6754) 1931 1f 1j (/37); Jindřichův Hradec (6855–6856) VI. 1976 1f (/38); Nový Bydžov (5758) 2f (/39).

Moravia: Mušov (7065) VI. 1962 21m 9f det. AK (/40); Pouzdřany (7065) 1f det. AK (/41).

Slovakia: Kováčovské kopce (8178) 15m 9f 2j (/42).

***Singa nitidula* C. L. KOCH, 1844 (P6A–783)**

Moravia: Brno, Jundrov (6865) 1m (/43); Lednice (7266) 12. 10. 1952 2m 1f 1j (/44), 18. 6. 3m 1f (/45), 1. 6. 1f (/46), 10. 7. 8f (/49); Mohelno (6863) 4m 1f (/47).

Slovakia: Kováčovské kopce (8178) 6f (/48).

***Zilla diodia* (WALCKENAER, 1802) (P6A–784)**

Moravia: Lednice (7266) 24. 5. 1974 1m 1f (/1), 24. 5. 1m (/2); Moravský Krumlov (6963–6964) 1f (/3); Pouzdřany (7065) 18. 5. 1952 2f (/4), 1m (/5).

Slovakia: Ardovo (7488) 7. 5. 1960 1j (/6); Banská Štiavnica (7579) VI. 1956 2f (/7); Bratislava, Lamač (7868) IV. 1958 2j (/8); Štúrovo (8178–8278) 20. 5. 1955 1m (/9).

?: Bzovík 20. 5. 2m 1f (/10); Hlavenc VI. 1960 2m (/11), 25. 5. 1m (/12); Nejdek VI. 1963 1m (/14); Rudolec 28. 7. 1961 1m (/13).

***Zygiella atrica* (C. L. KOCH, 1845) (P6A–785)**

Bohemia: Rakovník (5848–5948) 3f det. AK (/1).

Moravia: Jevíčko (6366) 1f (/2); Nové Město na Moravě (6462) 24. 9. 1959 6m 12f (/3); Osová Bítýška (6663) 28. 8. 1952 1m (/4); Žďár n. S. (6461) 30. 10. 1f (/5).

***Zygiella montana* (C. L. KOCH, 1834) (P6A–785)**

Bohemia: Krkonoše 1f (/6).

Moravia: Jeseník (5769) 5f 6j (/7).

***Zygiella stroemi* (THORELL, 1870) (P6A–785)**

Bohemia: Jindřichův Hradec (6855–6856) 31. 1. 1961 2f (/8), II. 1960 2f (/9).

Moravia: Lednice (7266) 18. 5. 1m (/10).

***Zygiella thorelli* (AUSSERER, 1871) (P6A–785)**

Slovakia: Dvorníky: 20. 9. 1964 1m (/11); Krupina (7680) 26. 8. 1961 1f (/12).

ACKNOWLEDGEMENTS

I wish to thank Professor Jan Buchar, DrSc for the precision of some geographic data, the determination of some species and the correction of the manuscript. The work was financially supported by the Research Project no. RK 01P03OMG005.

REFERENCES

- Buchar, J., Růžička, V. (2002): Catalogue of spiders of the Czech Republic. – Peres Publishers, Praha, 349 pp.
- Kůrka, A. (1994): Přehled druhů pavouků (Araneida) ve sbírce Prof. F. Millera (zoologické sbírky Přírodovědeckého muzea – Národního muzea), část I. [A survey of spiders (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part I.] – Čas. Nár. Muz., Řada přírodověd., 163: 43–54.
- Kůrka, A. (1996): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History, National Museum), part II. – Čas. Nár. Muz., Řada přírodověd., 165 (1–4): 133–138.
- Kůrka, A. (1997): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part III: Thomisidae and Philodromidae. – Čas. Nár. Muz., Řada přírodověd., 166 (1–4): 47–54.
- Kůrka, A. (1998): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part IV.: Lycosidae. – Čas. Nár. Muz., Řada přírodověd., 167 (1–4): 35–42.
- Kůrka, A. (2000): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part V. – Čas. Nár. Muz., Řada přírodověd., 169: 35–40.
- Kůrka, A. (2001): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part VI: Salticidae. – Čas. Nár. Muz., Řada přírodověd., 170 (1–4): 81–89.
- Kůrka, A. (2003): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part VII: Theridiidae. – Čas. Nár. Muz., Řada přírodověd., 172: 133–140.